

Family Treasure

SICUREZZA NELLA TUA CASA





- **▶** 3 CAPACITÀ VOLUMETRICHE
- ▶ 3 UNITÀ DI CHIUSURA
- ► CORAZZATURA IN ACCIAIO

Family Treasure

SERIE FAMILY TREASURE

Le casseforti della linea Family Treasure sono prodotti destinati in modo particolare al mercato commerciale e privato. I modelli proposti sono tre, identificati dalla sigla FT seguita da un numero che indica la capacità volumetrica della cassaforte. Le caratteristiche tecniche e dimensionali dei tre modelli sono indicate nella tabella sotto riportata.

CORAZZATURA

La corazzatura delle casseforti è realizzata totalmente in acciaio di forte spessore: 6 mm nel fusto ed 8 mm nel battente. Un'ulteriore piastra d'acciaio intrapanabile di manganese da 3 mm di spessore protegge il meccanismo di chiusura.

Il battente ruota su due cardini autolubrificanti che consentono aperture maggiori di 180°. Il prodotto è costruito nel rispetto delle normative antinfortunistiche vigenti.

CHIUSURA

Il sistema di chiusura è costituito da un movimento centrale che comanda l'espansione di catenacci mobili su tre lati del battente, mentre sul lato cerniere è presente un profilo antistrappo continuo. La serratura è protetta da un sistema di relocking automatico.

Sono disponibili tre diversi tipi di unità di chiusura:

- serratura a chiave
- combinazione elettronica
- serratura + combinazione

ANCORAGGIO

Le casseforti FT sono predisposte all'ancoraggio tramite un foro Ø 12 posto alla base.

VERNICIATURA ESTERNA

La linea FT è proposta in due colori base. Altri colori sono disponibili a richiesta.

- Rosso RAL 3005
- Blu RAL 5001

ATTREZZATURA INTERNA

- ripiani
- scomparto di sicurezza (tesoretto) con chiusura a chiave, alloggiato nella parte inferiore della cassaforte

FAMILY TREASURE SAFES

The Family Treasure product line is designed in particular for the business and private markets. Three models are available: they are designated with the code FT followed by a number that indicates their volume capacity. The technical characteristics and dimensions of the three models are listed in the table below.

ARMOUR

The safes are made in extra thick all-steel construction: 6 mm steel body and 8 mm steel door. A 3 mm thick manganese steel plate protects the boltwork. The door rotates on two self-lubricating hinges that allow it be opened more than 180°.

The safes are built in compliance with the current accident-prevention standards.

LOCKS

The boltwork consists of moving bolts on three sides of the door, operated by a central unit; a continuous bar is instead provided on hinge side. An automatic relocking device protects the key lock.

The safes can be supplied with three different types of closure:

- kev lock
- electronic combination lock
- key + electronic combination lock

ANCHORING

The FT safes are designed to be anchored using a 12 mm hole located on the base.


EXTERNAL PAINTING


The safes can be painted in 2 colours. Other colours are available on request.


- Red RAL 3005
- Blue RAL 5001

INTERNAL EQUIPMENT

- shelves
- security box, with key lock, located in the bottom of the safe











UFFICI E STABILIMENTO

Via Varese, 173 - 20020 Solaro (MI) Tel. 02/969.851 - Fax 02/969.852.32

ASSISTENZA

Tel. 02.969.1194 - Fax 02.969.1194

SEDE LEGALE

Via San Martino, 11/B - 20122 Milano www.parmacasseforti.it - info@parmacasseforti.it

